

IN THE CLAIMS:

The following is a complete listing of claims in this application.

Claims 1-26 (canceled).

27. (currently amended) ~~An oily~~ A pharmaceutical composition in the form of an oily fluid, the oily fluid comprising:

peroxidized lipids which have a degree of peroxidation of between 5 and 600 milli-equivalents per kilogram, and

silica which is dispersed within said peroxidized lipids, the ~~composition~~ oily fluid containing said silica in a concentration by weight of greater than or equal to 0.5% and less than 4%.

28. (previously presented) The pharmaceutical composition according to claim 27, containing 0.5 to 3.5% by weight of said silica.

29. (previously presented) The pharmaceutical composition according to claim 27, containing 0.5 to 2% by weight of said silica.

30. (previously presented) The pharmaceutical composition according to claim 27, in a form which is compatible with a use as a spray.

31. (previously presented) The pharmaceutical composition according to claim 27, wherein the silica is a form of colloidal silica.


32. (previously presented) The pharmaceutical composition according to claim 27, having a kinematic viscosity measured at 20°C by means of a capillary viscometer, of between 26.6 and 44.4 mm²/s.

33. (previously presented) The pharmaceutical composition according to claim 27, having a density of 0.95 ± 10%.


34. (previously presented) The pharmaceutical composition according to claim 27, wherein said peroxidized lipids have a

degree of peroxidation of between 30 and 500 milli-equivalents per kilogram.


35. (previously presented) The pharmaceutical composition according to claim 27, wherein said peroxidized lipids comprise partially oxidized triglycerides of a formula:



|



|



in which radicals R are partially peroxidized C₁₈ unsaturated acids.

36. (previously presented) The pharmaceutical composition according to claim 27, wherein said peroxidized lipids are obtained by peroxidation of lipids or of fats of natural origin.

38. (previously presented) The pharmaceutical composition according to claim 27, wherein the lipids originate from a natural plant oil.

39. (previously presented) The pharmaceutical composition according to claim 38, wherein the natural oil is selected from the group consisting of sweet almond oil, hazelnut oil, groundnut oil, maize oil, grapeseed oil, sesame oil, safflower oil, and mixtures thereof.

40. (withdrawn and amended) A method for treatment of xerostomia, comprising application by spraying in the mouth of a composition in the form of an oily fluid comprising peroxidized lipids having a degree of peroxidation of between 5 and 600 milli-equivalents per kilogram, said composition having a viscosity adapted for lining the buccal cavity and tongue.

41. (withdrawn and amended) A method according to claim 40, wherein the composition contains silica dispersed within

said peroxidized lipids, the ~~composition~~ oily fluid containing said silica in a concentration by weight of greater than or equal to 0.5% and less than 4%.

42. (withdrawn) A method according to claim 41, wherein the composition contains 0.5 to 3.5% by weight of said silica.

43. (withdrawn) A method according to claim 42, wherein the composition contains 0.5 to 2% by weight of said silica.


44. (withdrawn) A method according to claim 41, wherein the silica is a form of colloidal silica.

45. (withdrawn) A method according to claim 40, wherein the composition has a kinematic viscosity measured at 20°C by means of a capillary viscometer, of between 26.6 and 44.4 mm²/s.

46. (withdrawn) A method according to claim 40, wherein the composition has a density of 0.95 ± 10%.

47. (withdrawn) A method according to claim 40, wherein the peroxidized lipids have a degree of peroxidation of between 30 and 500 milli-equivalents per kilogram.

48. (withdrawn) A method according to claim 40, wherein said peroxidized lipids comprise partially oxidized triglycerides having a formula:



in which the radicals R are partially peroxidized C₁₈ unsaturated acids.

49. (withdrawn) A method according to claim 40, wherein said peroxidized lipids are obtained by peroxidation of lipids or of fats of natural origin.

50. (withdrawn) A method according to claim 49, wherein the lipids originate from a natural plant oil selected from

the group consisting of sweet almond oil, hazelnut oil, groundnut oil, maize oil, grapeseed oil, sesame oil, safflower oil and mixtures thereof.

LAW OFFICES
DENNISON, SCHULTZ & MACDONALD
SUITE 105
1727 KING STREET
ALEXANDRIA, VIRGINIA 22314-2700
703 837-9600